

BIOCIDAL PRODUCT MICROBIOLOGICAL ACTIVITY REPORT

Report Registration Number	: CLABME20020
Product Full Name	: Lote M-205 Hidroalcoholic Jel
Product License Holder	:
Active Substance Rates	: 70% Ethyl alcohol
Formulation Form	: Wet wipes
Type of Packaging Material	: Other
Sample Arrival Date	: 23.06.2020
Authority Sending the Sample	: GÜRPAK AMBALAJ VE GIDA SAN. TİC. LTD. ŞTİ.
How the Sample Comes (Sealed/Unsealed)	: Special request, Unsealed
Address from where the samples taken or production	: Çarşı Mah. Süha Sok. No: 12 Yakacık-Kartal/İSTANBUL/TURKEY
Sample Charge/Serial No	: -
Production and Expiry Date of the Sample	: 06.20 / -
Contact Time	: 1 minute ve 15 minutes
Application Dose	: 100%
Neutralizing	: Lecithin, Saponin, Polysorbate 80 (Polysorbate 80, 30 g/l + saponin, 30 g/l + lecithin, 3 g/l.)
Plate Count Method	: Spreading plate
Analysis Temperature	: 20 °C
Experiment Start and End Date	: 23.06.2020-02.07.2020
Reporting Date	: 02.07.2020
Experiment Results	: Table 1, Table 2, Table 3
Comment	: According to TS EN 1276 and TS EN 1650 Standards, 99.99% effect was determined in the tests of the above mentioned product at 100% concentration on microorganisms specified in Tables 1, 2 and 3.

This analysis report belongs to the sample coming to our laboratory.

The ones in the parameter column () are within the scope of accreditation.*

This report and its results may not be reproduced or published in whole or in part for commercial and advertising purposes without the consent of Cosming Laboratory.

In the sample analyzed, the technical and legal responsibility for the determination of the procedures from the sample to the delivery to the laboratory and the groups and parameters to be looked after belong to the sample.

Unsigned analysis result reports are invalid.

Address: 5746/4 Sok. No: 24 Kat:4 MTK Sitesi Altındağ/İZMİR-TÜRKİYE +90 232 431 11 21 /+90 232 437 32 28 www.cosminglab.com

F:58/Rev.03-05.18/09.2015-02

BIOCIDAL PRODUCT MICROBIOLOGICAL ACTIVITY REPORT

Table 1:

<i>Pseudomonas aeruginosa</i> ATCC 15442	Verification Suspension (30≤X≤160) YES/NO?		Control of Experimental Conditions (A) (AX≥0,5*NV _o X) YES/NO?		Neutralizer Control (B) (BX≥0,5*NV _o X) YES/NO?		Method Verification (C) (CX≥0,5*NV _o X) YES/NO?	
	Vc1	56	Vc1	74	Vc1	68	Vc1	72
	Vc2	50	Vc2	72	Vc2	62	Vc2	70
	X	53	X	73	X	65	X	71
	YES		YES		YES		YES	
	Test Suspension	NX wm		No Xwm		7,17≤logNo≤7,70?		
		N(Vc)	LogN	No(Vc)	LogNo			
4,5E+8		8,7	3,8E+7	7,6				
	4,2E+8	8,6	3,5E+7	7,5	LogNo	YES		

<i>Escherichia coli</i> ATCC 10536	Verification Suspension (30≤X≤160) YES/NO?		Control of Experimental Conditions (A) (AX≥0,5*NV _o X) YES/NO?		Neutralizer Control (B) (BX≥0,5*NV _o X) YES/NO?		Method Verification (C) (CX≥0,5*NV _o X) YES/NO?	
	Vc1	68	Vc1	53	Vc1	56	Vc1	65
	Vc2	60	Vc2	52	Vc2	54	Vc2	61
	X	64	X	53	X	55	X	63
	YES		YES		YES		YES	
	Test Suspension	NX wm		No Xwm		7,17≤logNo≤7,70?		
		N(Vc)	LogN	No(Vc)	LogNo			
4,6E+8		8,7	4,1E+7	7,6				
	4,7E+8	8,7	3,9E+7	7,6	LogNo	YES		

This analysis report belongs to the sample coming to our laboratory.

The ones in the parameter column (*) are within the scope of accreditation.

This report and its results may not be reproduced or published in whole or in part for commercial and advertising purposes without the consent of Cosming Laboratory.

In the sample analyzed, the technical and legal responsibility for the determination of the procedures from the sample to the delivery to the laboratory and the groups and parameters to be looked after belong to the sample.

Unsigned analysis result reports are invalid.

Address: 5746/4 Sok. No: 24 Kat:4 MTK Sitesi Altındağ/İZMİR-TÜRKİYE +90 232 431 11 21 /+90 232 437 32 28 www.cosminglab.com

F:58/Rev.03-05.18/09.2015-02

Handwritten signature

BIOCIDAL PRODUCT MICROBIOLOGICAL ACTIVITY REPORT

Table 1: continued

Staphylococcus aureus ATCC 6538	Verification Suspension (30≤X≤160) YES/NO?		Control of Experimental Conditions (A) (AX≥0,5*NVo X) YES/NO?		Neutralizer Control (B) (BX≥0,5*NVo X) YES/NO?		Method Verification (C) (CX≥0,5*NVo X) YES/NO?	
	Vc1	60	Vc1	73	Vc1	68	Vc1	50
	Vc2	62	Vc2	70	Vc2	65	Vc2	49
	X	61	X	72	X	67	X	50
	YES		YES		YES		YES	
	Test Suspension	NX wm		No Xwm		7,17≤logNos7,70?		
		N(Vc)	LogN	No(Vc)	LogNo			
4,5E+8		8,7	4,3E+7	7,6	LogNo	YES		
4,0E+8	8,6	4,0E+7	7,6					

Enterococcus hirae ATCC 10541	Verification Suspension (30≤X≤160) YES/NO?		Control of Experimental Conditions (A) (AX≥0,5*NVo X) YES/NO?		Neutralizer Control (B) (BX≥0,5*NVo X) YES/NO?		Method Verification (C) (CX≥0,5*NVo X) YES/NO?	
	Vc1	38	Vc1	42	Vc1	52	Vc1	36
	Vc2	35	Vc2	40	Vc2	50	Vc2	32
	X	37	X	41	X	51	X	34
	YES		YES		YES		YES	
	Test Suspension	NX wm		No Xwm		7,17≤logNos7,70?		
		N(Vc)	LogN	No(Vc)	LogNo			
4,0E+8		8,6	4,3E+7	7,6	LogNo	YES		
3,5E+8	8,5	4,0E+7	7,6					

This analysis report belongs to the sample coming to our laboratory.

The ones in the parameter column (*) are within the scope of accreditation.

This report and its results may not be reproduced or published in whole or in part for commercial and advertising purposes without the consent of Cosming Laboratory.

In the sample analyzed, the technical and legal responsibility for the determination of the procedures from the sample to the delivery to the laboratory and the groups and parameters to be looked after belong to the sample.

Unsigned analysis result reports are invalid.

Address: 5746/4 Sok. No: 24 Kat:4 MTK Sitesi Altındağ/İZMİR-TÜRKİYE +90 232 431 11 21 /+90 232 437 32 28 www.cosminglab.com

F:58/Rev.03-05.18/09.2015-02

Handwritten signature

BIOCIDAL PRODUCT MICROBIOLOGICAL ACTIVITY REPORT

Table 1: continued

Candida albicans ATCC 10231	Verification Suspension (30≤X≤160) YES/NO?		Control of Experimental Conditions (A) (AX≥0,5*NV _o X) YES/NO?		Neutralizer Control (B) (BX≥0,5*NV _o X) YES/NO?		Method Verification (C) (CX≥0,5*NV _o X) YES/NO?	
	Vc1	58	Vc1	50	Vc1	52	Vc1	56
	Vc2	55	Vc2	48	Vc2	50	Vc2	54
	X	57	X	49	X	51	X	55
	YES		YES		YES		YES	
	Test Suspension	NX wm		No Xwm		6,17≤logNo≤6,70?		
		N(Vc)	LogN	No(Vc)	LogNo			
4,0E+7		7,6	3,8E+6	6,5				
	4,1E+7	7,6	3,5E+6	6,5	LogNo	YES		

Aspergillus brasiliensis ATCC 16404	Verification Suspension (30≤X≤160) YES/NO?		Control of Experimental Conditions (A) (AX≥0,5*NV _o X) YES/NO?		Neutralizer Control (B) (BX≥0,5*NV _o X) YES/NO?		Method Verification (C) (CX≥0,5*NV _o X) YES/NO?	
	Vc1	52	Vc1	50	Vc1	52	Vc1	48
	Vc2	48	Vc2	49	Vc2	50	Vc2	46
	X	50	X	50	X	51	X	47
	YES		YES		YES		YES	
	Test Suspension	NX wm		No Xwm		6,17≤logNo≤6,70?		
		N(Vc)	LogN	No(Vc)	LogNo			
3,8E+7		7,5	3,7E+6	6,5				

This analysis report belongs to the sample coming to our laboratory.

The ones in the parameter column (*) are within the scope of accreditation.

This report and its results may not be reproduced or published in whole or in part for commercial and advertising purposes without the consent of Cosming Laboratory.

In the sample analyzed, the technical and legal responsibility for the determination of the procedures from the sample to the delivery to the laboratory and the groups and parameters to be looked after belong to the sample.

Unsigned analysis result reports are invalid.

Address: 5746/4 Sok. No: 24 Kat:4 MTK Sitesi Altındağ/İZMİR-TÜRKİYE +90 232 431 11 21 /+90 232 437 32 28 www.cosminglab.com

F:58/Rev.03-05.18/09.2015-02

M. G.

BIOCIDAL PRODUCT MICROBIOLOGICAL ACTIVITY REPORT

Table 2:

Sample ID	60% ethanol control									
Strains	Method	Spike (cfu/ml)	Contact Time (minute)	First Count (cfu/ml) Log (N0)		Final Count (kob/ml) Log (Na)		Log Reduction (cfu/ml) LogR	Range	Activity %
Bacteria				TVC1 Count	Log10 TC1	TCV2 Count	Log10 TC2			
<i>P. aeruginosa</i> ATCC 15442	TS EN 1276	4,0E+7	1	4,0E+7	7,6E+0	1,0E+0	0,0E+0	8	>5	99,99%
<i>E. coli</i> ATCC 10536		4,5E+7	1	4,5E+7	7,7E+0	1,0E+0	0,0E+0	8	>5	99,99%
<i>S. aureus</i> ATCC 6538		2,2E+7	1	2,2E+7	7,3E+0	1,0E+0	0,0E+0	7	>5	99,99%
<i>E. hirae</i> ATCC 10541		2,4E+7	1	2,4E+7	7,4E+0	1,0E+0	0,0E+0	7	>5	99,99%
Fungi										
<i>C. albicans</i> ATCC 10231	TS EN 1650	3,0E+7	15	3,0E+7	7,5E+0	1,0E+0	0,0E+0	7	>4	99,99%
<i>Aspergillus brasiliensis</i> ATCC 16404		2,0E+6	15	2,0E+6	6,3E+0	1,0E+0	0,0E+0	6	>4	99,99%

This analysis report belongs to the sample coming to our laboratory.

The ones in the parameter column (*) are within the scope of accreditation.

This report and its results may not be reproduced or published in whole or in part for commercial and advertising purposes without the consent of Cosming Laboratory.

In the sample analyzed, the technical and legal responsibility for the determination of the procedures from the sample to the delivery to the laboratory and the groups and parameters to be looked after belong to the sample.

Unsigned analysis result reports are invalid.

Address: 5746/4 Sok. No: 24 Kat:4 MTK Sitesi Altındağ/İZMİR-TÜRKİYE +90 232 431 11 21 /+90 232 437 32 28 www.cosminglab.com

F:58/Rev.03-05.18/09.2015-02

Handwritten signature

BIOCIDAL PRODUCT MICROBIOLOGICAL ACTIVITY REPORT

Table 3:

Sample ID	CLABME20020									
Strains	Method	Spike (cfu/ml)	Contact Time (minute)	First Count (cfu/ml) Log (N0)		Final Count (kob/ml) Log (Na)		Log Reduction (cfu/ml) LogR	Range	Activity %
Bacteria				TVC1 Count	Log10 TC1	TCV2 Count	Log10 TC2			
<i>P. aeruginosa</i> ATCC 15442	TS EN 1276	4,0E+7	1	2,0E+7	7,3E+0	1,0E+0	0,0E+0	7	>5	99,99%
<i>E. coli</i> ATCC 10536		4,5E+7	1	3,0E+7	7,5E+0	1,0E+0	0,0E+0	7	>5	99,99%
<i>S. aureus</i> ATCC 6538		2,2E+7	1	3,0E+7	7,5E+0	1,0E+0	0,0E+0	7	>5	99,99%
<i>E. hirae</i> ATCC 10541		2,4E+7	1	2,8E+7	7,4E+0	1,0E+0	0,0E+0	7	>5	99,99%
Fungi										
<i>C. albicans</i> ATCC 10231	TS EN 1650	3,0E+7	15	1,0E+7	7,0E+0	1,0E+0	0,0E+0	7	>4	99,99%
<i>Aspergillus brasiliensis</i> ATCC 16404		2,0E+6	15	2,0E+6	6,3E+0	1,0E+0	0,0E+0	6	>4	99,99%

TC/TVC: Count Result

N: Number of Initial Microorganisms

No: First Count Number of Microorganisms

Na: Number of Microorganisms After Reduction

R: Logarithmic Reduction



Date
02.07.2020

Analyst

Laboratory Specialist
Microbiologist
Cansu AYDOĞAN

Control / Approved by

Laboratory Manager
MSc Chemist
Aylin KAHRIMAN

This analysis report belongs to the sample coming to our laboratory.

The ones in the parameter column (*) are within the scope of accreditation.

This report and its results may not be reproduced or published in whole or in part for commercial and advertising purposes without the consent of Cosming Laboratory.

In the sample analyzed, the technical and legal responsibility for the determination of the procedures from the sample to the delivery to the laboratory and the groups and parameters to be looked after belong to the sample.

Unsigned analysis result reports are invalid.

Address: 5746/4 Sok. No: 24 Kat:4 MTK Sitesi Altındağ/İZMİR-TÜRKİYE +90 232 431 11 21 /+90 232 437 32 28 www.cosminglab.com

F:58/Rev.03-05.18/09.2015-02